



RAINWATER GUTTERS – MADE TO ORDER

Moulded and large sand cast profiles · October 2026



Heritage rainwater goods · Copy casting · Linseed oil finishes · Site surveys

Tuscan Foundry Products | Unit 1, Tyn-Y-Clyn, Llanafan Fawr
T: 0333 987 4452 | E: info@tuscanfoundry.co.uk | W: www.tuscanfoundry.com

Cast iron systems for rainwater, soil and drain

Tuscan Foundry Products has supplied cast iron rainwater goods for listed and period buildings since 1893. We work with architects, conservation officers, surveyors and specialist contractors on projects ranging from a single replacement hopper head to the complete rainwater system of a church or country house.

The standard gutters, pipes and fittings in this list are made to BS 460:2002 and are supplied primed or factory black, or finished in our own workshop in traditional linseed oil paint. Where a profile or casting is no longer made, we copy cast from a sample or a measured drawing.

We are supply-only. We do not install, but we are always glad to help with specification, profile identification and practical advice on site.

Technical & sales support

Profile identification, specification wording, take-offs from drawings and practical advice for heritage projects.

Site visits & surveys

Chargeable site surveys, including access by cherry picker, with a written schedule of what is needed. Part of the survey fee is credited against a subsequent supply order.

Copy casting

New patterns made from a sample or measured drawing for gutters, hopper heads, pipes and ornamental castings.

Linseed oil finishes

Traditional linseed oil paint applied by hand in our workshop, in 38 heritage colours or matched to a sample. See the colour chart in this list.

Using this price list

- Prices are list prices for each item, in pounds sterling, excluding VAT and delivery. Project pricing is available on request.
- Premier [Primed]: supplied with one coat of grey primer. Premier Extra [Black]: factory black gloss finish.
- Linseed oil paint finishes and RAL or BS colours are priced on application (POA).
- Lead times: ex stock items typically 5–7 working days from order; made-to-order profiles and ornamental heads typically 12–14 weeks.
- Delivery is charged on every order and is confirmed with your quotation.
- Product codes are shown for each size and finish – please quote them when ordering.
- Prices apply from October 2026 and replace all previous Tuscan Foundry price lists. Our terms and conditions of sale are printed at the back of this list.

Contact us

T: 0333 987 4452 E: info@tuscanfoundry.co.uk W: www.tuscanfoundry.com

Tuscan Foundry Products, Unit 1, Tyn-Y-Clyn, Llanafan Fawr



MADE TO ORDER

Moulded and large sand cast gutter profiles and copy castings from samples or drawings. Typically 12-14 weeks.





No.3

PLAIN DEEP HALF ROUND

Size [mm] Size [inches]	125 × 100mm 5" × 4"	150 × 100mm 6" × 4"	200 × 100mm 8" × 4"
1829mm [6FT]	35401 POA	36401 POA	38401 POA
Left Hand	35410 POA	36410 POA	38410 POA
Right Hand	35411 POA	36411 POA	38411 POA
Left Hand	35412 POA	36412 POA	38412 POA
Right Hand	35413 POA	36413 POA	38413 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm			
Nozzle	35420 POA	36420 POA	38420 POA
Dropepend External	35421 POA	36421 POA	38421 POA
Dropepend Internal	35422 POA	36422 POA	38422 POA
External	35430 POA	36430 POA	38430 POA
Internal	35431 POA	36431 POA	38431 POA
	35435 POA	36435 POA	38435 POA
	35440 POA	36440 POA	38440 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.3A

DOUBLE BEADED DEEP HALF ROUND

Size [mm] Size [inches]	125 × 100mm 5" × 4"	150 × 100mm 6" × 4"	200 × 100mm 8" × 4"
1829mm [6FT]	3A5401 POA	3A6401 POA	3A8401 POA
Left Hand	3A5410 POA	3A6410 POA	3A8410 POA
Right Hand	3A5411 POA	3A6411 POA	3A8411 POA
Left Hand	3A5412 POA	3A6412 POA	3A8412 POA
Right Hand	3A5413 POA	3A6413 POA	3A8413 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm			
Nozzle	3A5420 POA	3A6420 POA	3A8420 POA
Drope External	3A5421 POA	3A6421 POA	3A8421 POA
Drope Internal	3A5422 POA	3A6422 POA	3A8422 POA
External	3A5430 POA	3A6430 POA	3A8430 POA
Internal	3A5431 POA	3A6431 POA	3A8431 POA
	3A5435 POA	3A6435 POA	3A8435 POA
	3A5440 POA	3A6440 POA	3A8440 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS


UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.3B

SINGLE BEADED
DEEP HALF ROUND

Size [mm] Size [inches]	125 × 100mm 5" × 4"	150 × 100mm 6" × 4"	200 × 100mm 8" × 4"
1829mm [6FT]	3B5401 POA	3B6401 POA	3B8401 POA
External	3B5410 POA	3B6410 POA	3B8410 POA
Internal	3B5411 POA	3B6411 POA	3B8411 POA
External	3B5412 POA	3B6412 POA	3B8412 POA
Internal	3B5413 POA	3B6413 POA	3B8413 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm			
Nozzle	3B5420 POA	3B6420 POA	3B8420 POA
Dropend External	3B5421 POA	3B6421 POA	3B8421 POA
Dropend Internal	3B5422 POA	3B6422 POA	3B8422 POA
External	3B5430 POA	3B6430 POA	3B8430 POA
Internal	3B5431 POA	3B6431 POA	3B8431 POA
	3B5435 POA	3B6435 POA	3B8435 POA
	3B5440 POA	3B6440 POA	3B8440 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.25S

SOCKET & SPIGOT
BOX

Size [mm]		150 × 150mm
Size [inches]		6" × 6"
1829mm [6FT]		25S6601 POA
External		25S6610 POA
Internal		25S6611 POA
External		25S6612 POA
Internal		25S6613 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm		
Nozzle		25S6620 POA
Dropend External		25S6621 POA
Dropend Internal		25S6622 POA
External		25S6630 POA
Internal		25S6631 POA
		25S6635 POA
		25S6640 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.

**No.23****DEEP OG**

Size [mm]	125 × 75mm	125 × 100mm	150 × 100mm	157 × 133mm	178 × 125mm	255 × 153mm
Size [inches]	5" × 3"	5" × 4"	6" × 4"	6.25" × 5.25"	7" × 5"	10" × 6"

1829mm [6FT]	235301 POA	235401 POA	236401 POA	236501R POA	237501 POA	2310601R POA
--------------	---------------	---------------	---------------	----------------	---------------	-----------------

Left Hand or External	235310 POA	235410 POA	236410 POA	236510R POA	237510 POA	2310610R POA
-----------------------	---------------	---------------	---------------	----------------	---------------	-----------------

Right Hand or Internal	235311 POA	235411 POA	236411 POA	236511R POA	237511 POA	2310611R POA
------------------------	---------------	---------------	---------------	----------------	---------------	-----------------

Left Hand or External	235312 POA	235412 POA	236412 POA	236512R POA	237512 POA	2310612R POA
-----------------------	---------------	---------------	---------------	----------------	---------------	-----------------

Right Hand or Internal	235313 POA	235413 POA	236413 POA	236513R POA	237513 POA	2310613R POA
------------------------	---------------	---------------	---------------	----------------	---------------	-----------------

Outlet sizes: A = 65mm B = 75mm C = 100mm						
---	--	--	--	--	--	--

Nozzle	235320 POA	235420 POA	236420 POA	236520R POA	237520 POA	2310620R POA
--------	---------------	---------------	---------------	----------------	---------------	-----------------

Dropepend External	235321 POA	235421 POA	236421 POA	236521R POA	237521 POA	2310621R POA
--------------------	---------------	---------------	---------------	----------------	---------------	-----------------

Dropepend Internal	235322 POA	235422 POA	236422 POA	236522R POA	237522 POA	2310622R POA
--------------------	---------------	---------------	---------------	----------------	---------------	-----------------

External	235330 POA	235430 POA	236430 POA	236530R POA	237530 POA	2310630R POA
----------	---------------	---------------	---------------	----------------	---------------	-----------------

Internal	235331 POA	235431 POA	236431 POA	236531R POA	237531 POA	2310631R POA
----------	---------------	---------------	---------------	----------------	---------------	-----------------

	235335 POA	235435 POA	236435 POA	237535 POA	237535 POA	2310635R POA
--	---------------	---------------	---------------	---------------	---------------	-----------------

	235340 POA	235440 POA	236440 POA	236540R POA	237540 POA	2310640R POA
--	---------------	---------------	---------------	----------------	---------------	-----------------


Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.

Price on application.

GUTTERS**SQUARE 90° ANGLES****OBTUSE 135° ANGLES****OUTLETS****STOPENDS****UNION CLIPS****FASCIA BRACKETS**



No.23D
DEEP OG

Size [mm]		190 × 125mm
Size [inches]		7.5" × 5"
1829mm [6FT]		23D8501R POA
Left Hand or External		23D8510R POA
Right Hand or Internal		23D8511R POA
Left Hand or External		23D8512R POA
Right Hand or Internal		23D8513R POA
Outlet sizes: A = 65mm B = 75mm C = 100mm		
Nozzle		23D8520R POA
Dropend External		23D8521R POA
Dropend Internal		23D8522R POA
External		23D8530R POA
Internal		23D8531R POA
		23D8535R POA
		23D8540R POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS


UNION CLIPS

FASCIA BRACKETS

Made to order - typically 12-14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.10

MOULDED

Size [mm]	125 × 100mm	190 × 114mm	200 × 150mm	250 × 180mm
Size [inches]	5" × 4"	7.5" × 4.5"	8" × 6"	10" × 7"

1829mm [6FT]	105401 POA	108501R POA	108601 POA	1010701 POA
--------------	---------------	----------------	---------------	----------------

External	105410 POA	108510R POA	108610 POA	1010710 POA
Internal	105411 POA	108511R POA	108611 POA	1010711 POA

External	105412 POA	108512R POA	108612 POA	1010712 POA
Internal	105413 POA	108513R POA	108613 POA	1010713 POA

Outlet sizes: A = 65mm B = 75mm C = 100mm				
---	--	--	--	--

Nozzle	105420 POA	108520R POA	108620 POA	1010720 POA
Dropend External	105421 POA	108521R POA	108621 POA	1010721 POA
Dropend Internal	105422 POA	108522R POA	108622 POA	1010722 POA

External	105430 POA	108530R POA	108630 POA	1010730 POA
Internal	105431 POA	108531R POA	108631 POA	1010731 POA

	105435 POA	108535R POA	108635 POA	1010735 POA
--	---------------	----------------	---------------	----------------

	105440 POA	108540R POA	108640 POA	1010740 POA
--	---------------	----------------	---------------	----------------

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS


FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.

Price on application.



No.12

MOULDED

Size [mm] Size [inches]	105 × 75mm 4" × 3"	125 × 100mm 5" × 4"	150 × 100mm 6" × 4"
1829mm [6FT]	124301 POA	125401 POA	126401 POA
External	124310 POA	125410 POA	126410 POA
Internal	124311 POA	125411 POA	126411 POA
External	124312 POA	125412 POA	126412 POA
Internal	124313 POA	125413 POA	126413 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm			
Nozzle	124320 POA	125420 POA	126420 POA
Dropend External	124321 POA	125421 POA	126421 POA
Dropend Internal	124322 POA	125422 POA	126422 POA
External	124330 POA	125430 POA	126430 POA
Internal	124331 POA	125431 POA	126431 POA
	124335 POA	125435 POA	126435 POA
	124340 POA	125440 POA	126440 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.12S

MOULDED

Size [mm]	133 × 100mm
Size [inches]	5.25" × 4"
1829mm [6FT]	12S5401R POA
External	12S5410R POA
Internal	12S5411R POA
External	12S5412R POA
Internal	12S5413R POA
Outlet sizes: A = 65mm B = 75mm C = 100mm	
Nozzle	12S5420R POA
Dropend External	12S5421R POA
Dropend Internal	12S5422R POA
External	12S5430R POA
Internal	12S5431R POA
	12S5435R POA
	12S5440R POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS


UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample. Price on application.



No.13

MOULDED

Size [mm]	125 × 100mm
Size [inches]	5" × 4"

1829mm [6FT]	135401 POA
--------------	---------------

External	135410 POA
Internal	135411 POA

External	135412 POA
Internal	135413 POA

Outlet sizes: A = 65mm B = 75mm C = 100mm	
---	--

Nozzle	135420 POA
Drope External	135421 POA
Drope Internal	135422 POA

External	135430 POA
Internal	135431 POA

	135435 POA
--	---------------

	135440 POA
--	---------------

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS


FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.

Price on application.



No.14

MOULDED

Size [mm]	125 × 115mm	150 × 100mm	150 × 115mm
Size [inches]	5" × 4.5"	6" × 4"	6" × 4.5"

1829mm [6FT]	145501R POA	146401 POA	146501R POA
--------------	----------------	---------------	----------------

External	145510R POA	146410 POA	146510R POA
Internal	145511R POA	146411 POA	146511R POA

External	145512R POA	146412 POA	146512R POA
Internal	145513R POA	146413 POA	146513R POA

Outlet sizes: A = 65mm B = 75mm C = 100mm			
---	--	--	--

Nozzle	145520R POA	146420 POA	146520R POA
Dropeend External	145521R POA	146421 POA	146521R POA
Dropeend Internal	145522R POA	146422 POA	146522R POA

External	145530R POA	146430 POA	146530R POA
Internal	145531R POA	146431 POA	146531R POA

	145535R POA	146435 POA	146535R POA
--	----------------	---------------	----------------

	145540R POA	146440 POA	146540R POA
--	----------------	---------------	----------------

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS


FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.

Price on application.



No.14S

MOULDED

Size [mm]		150 × 100mm
Size [inches]		6" × 4"
1829mm [6FT]		14S6401 POA
External		14S6410 POA
Internal		14S6411 POA
External		14S6412 POA
Internal		14S6413 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm		
Nozzle		14S6420 POA
Dropend External		14S6421 POA
Dropend Internal		14S6422 POA
External		14S6430 POA
Internal		14S6431 POA
		14S6435 POA
		14S6440 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.14S

MOULDED

Size [mm]		150 × 150mm
Size [inches]		6" × 6"
1829mm [6FT]		14S6601 POA
External		14S6610 POA
Internal		14S6611 POA
External		14S6612 POA
Internal		14S6613 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm		
Nozzle		14S6620 POA
Dropend External		14S6621 POA
Dropend Internal		14S6622 POA
External		14S6630 POA
Internal		14S6631 POA
		14S6635 POA
		14S6640 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order - typically 12-14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.16

MOULDED

Size [mm]	160 × 115mm	230 × 115mm	292 × 127mm
Size [inches]	6.5" × 4.5"	9" × 4.5"	11.5" × 5"

1829mm [6FT]	167401R POA	169501R POA	1612501R POA
--------------	----------------	----------------	-----------------

External	167410R POA	169510R POA	1612510R POA
Internal	167411R POA	169511R POA	1612511R POA

External	167412R POA	169512R POA	1612512R POA
Internal	167413R POA	169513R POA	1612513R POA

Outlet sizes: A = 65mm B = 75mm C = 100mm			
---	--	--	--

Nozzle	167420R POA	169520R POA	1612520R POA
Drope External	167421R POA	169521R POA	1612521R POA
Drope Internal	167422R POA	169522R POA	1612522R POA

External	167430R POA	169530R POA	1612530R POA
Internal	167431R POA	169531R POA	1612531R POA

	167435R POA	169535R POA	1612535R POA
--	----------------	----------------	-----------------

	167440R POA	169540R POA	1612540R POA
--	----------------	----------------	-----------------

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS


UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample. Price on application.



No.38

MOULDED

Size [mm]		150 × 125mm
Size [inches]		6" × 5"
1829mm [6FT]		386501 POA
External		386510 POA
Internal		386511 POA
External		386512 POA
Internal		386513 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm		
Nozzle		386520 POA
Dropend External		386521 POA
Dropend Internal		386522 POA
External		386530 POA
Internal		386531 POA
		386535 POA
		386540 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.39

MOULDED

Size [mm]	140 × 110mm	140 × 95mm
Size [inches]	5.5" × 4.5"	5.5" × 3.75"
1829mm [6FT]	396401R POA	396301R POA
External	396410R POA	396310R POA
Internal	396411R POA	396311R POA
External	396412R POA	396312R POA
Internal	396413R POA	396313R POA
Outlet sizes: A = 65mm B = 75mm C = 100mm		
Nozzle	396420R POA	396320R POA
Dropend External	396421R POA	396321R POA
Dropend Internal	396422R POA	396322R POA
External	396430R POA	396330R POA
Internal	396431R POA	396331R POA
	396435R POA	396335R POA
	396440R POA	396340R POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.44

MOULDED

Size [mm]	180 × 125mm	215 × 150mm
Size [inches]	7" × 5"	8.5" × 6"
1829mm [6FT]	447501 POA	448601R POA
External	447510 POA	448610R POA
Internal	447511 POA	448611R POA
External	447512 POA	448612R POA
Internal	447513 POA	448613R POA
Outlet sizes: A = 65mm B = 75mm C = 100mm		
Nozzle	447520 POA	448620R POA
Dropepend External	447521 POA	448621R POA
Dropepend Internal	447522 POA	448622R POA
External	447530 POA	448630R POA
Internal	447531 POA	448631R POA
	447535 POA	448635R POA
	447540 POA	448640R POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS


FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.

Price on application.



No.46

MOULDED

Size [mm]	150 × 115mm	150 × 125mm	180 × 125mm	210 × 150mm	305 × 150mm
Size [inches]	6" × 4.5"	6" × 5"	7" × 5"	9.5" × 6"	12.2" × 6"

1829mm [6FT]	466501R POA	466501 POA	467501 POA	469601R POA	4612601 POA
--------------	----------------	---------------	---------------	----------------	----------------

External	466510R POA	466510 POA	467510 POA	469610R POA	4612610 POA
Internal	466511R POA	466511 POA	467511 POA	469611R POA	4612611 POA

External	466512R POA	466512 POA	467512 POA	469612R POA	4612612 POA
Internal	466513R POA	466513 POA	467513 POA	469613R POA	4612613 POA

Outlet sizes: A = 65mm B = 75mm C = 100mm					
Nozzle	466520R POA	466520 POA	467520 POA	469620R POA	4612620 POA
Dropepend External	466521R POA	466521 POA	467521 POA	469621R POA	4612621 POA
Dropepend Internal	466522 POA	466522 POA	467522 POA	469622R POA	4612622 POA

External	466530R POA	466530 POA	467530 POA	469630R POA	4612630 POA
Internal	466531R POA	466531 POA	467531 POA	469631R POA	4612631 POA

	466535R POA	466535 POA	467535 POA	469635R POA	4612635 POA
--	----------------	---------------	---------------	----------------	----------------

	466540R POA	466540 POA	467540 POA	469640R POA	4612640 POA
--	----------------	---------------	---------------	----------------	----------------

Made to order - typically 12-14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.

Price on application.

GUTTERS

SQUARE 90° ANGLES


OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS

FASCIA BRACKETS



No.47D
MOULDED

Size [mm]	180 × 155mm
Size [inches]	7" × 6"
1829mm [6FT]	47D7601 POA
Left Hand or External	47D7610 POA
Right Hand or Internal	47D7611 POA
Left Hand or External	47D7612 POA
Right Hand or Internal	47D7613 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm	
Nozzle	47D7620 POA
Dropend External	47D7621 POA
Dropend Internal	47D7622 POA
External	47D7630 POA
Internal	47D7631 POA
	47D7635 POA
	47D7640 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order - typically 12-14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.49

MOULDED

Size [mm]		150 × 115mm
Size [inches]		6" × 4.5"
1829mm [6FT]		496501R POA
External		496510R POA
Internal		496511R POA
External		496512R POA
Internal		496513R POA
Outlet sizes: A = 65mm B = 75mm C = 100mm		
Nozzle		496520R POA
Dropend External		496521R POA
Dropend Internal		496522R POA
External		496530R POA
Internal		496531R POA
		496535R POA
		496540R POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.60
MOULDED

Size [mm]		199 × 110mm
Size [inches]		7.8" × 4.3"
1829mm [6FT]	608501R POA	
External	608510R POA	
Internal	608511R POA	
External	608512R POA	
Internal	608513R POA	
Outlet sizes: A = 65mm B = 75mm C = 100mm (OUTLETS)		
Nozzle	608520R POA	
Dropend External	608521R POA	
Dropend Internal	608522R POA	
External	608530R POA	
Internal	608531R POA	
	608535R POA	
	608540R POA	

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order - typically 12-14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.77

MOULDED

Size [mm]	185 × 125mm
Size [inches]	7.25" × 5"

1829mm [6FT]	777501R POA
--------------	----------------

External	777510R POA
----------	----------------

Internal	777511R POA
----------	----------------

External	777512R POA
----------	----------------

Internal	777513R POA
----------	----------------

Outlet sizes: A = 65mm B = 75mm C = 100mm (OUTLETS)	
---	--

Nozzle	777520R POA
--------	----------------

Dropend External	777521R POA
------------------	----------------

Dropend Internal	777522R POA
------------------	----------------

External	777530R POA
----------	----------------

Internal	777531R POA
----------	----------------

	777535R POA
--	----------------

	777540R POA
--	----------------

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour

Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.

Price on application.



No.78
MOULDED

Size [mm]		230 × 130mm
Size [inches]		9.5" × 5.5"
1829mm [6FT]		789501R POA
External		789510R POA
Internal		789511R POA
External		789512R POA
Internal		789513R POA
Outlet sizes: A = 65mm B = 75mm C = 100mm (OUTLETS)		
Nozzle		789520R POA
Dropend External		789521R POA
Dropend Internal		789522R POA
External		789530R POA
Internal		789531R POA
		789535R POA
		789540R POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order - typically 12-14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.80

MOULDED

Size [mm]		124 × 117.5mm
Size [inches]		5" × 4.5"
1829mm [6FT]		805401R POA
External		805410R POA
Internal		805411R POA
External		805412R POA
Internal		805413R POA
Outlet sizes: A = 65mm B = 75mm C = 100mm (OUTLETS)		
Nozzle		805420R POA
Dropend External		805421R POA
Dropend Internal		805422R POA
External		805430R POA
Internal		805431R POA
		805435R POA
		805440R POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.101

MOULDED

Size [mm]		140 × 120mm
Size [inches]		5.5" × 4.75"
1829mm [6FT]		1016501R POA
External		1016510R POA
Internal		1016511R POA
External		1016512R POA
Internal		1016513R POA
Outlet sizes: A = 65mm B = 75mm C = 100mm (OUTLETS)		
Nozzle		1016520R POA
Dropend External		1016521R POA
Dropend Internal		1016522R POA
External		1016530R POA
Internal		1016531R POA
		1016535R POA
		1016540R POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS


STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



No.102

MOULDED

Size [mm]		180 × 125mm
Size [inches]		7" × 5"
1829mm [6FT]		1027501 POA
External		1027510 POA
Internal		1027511 POA
External		1027512 POA
Internal		1027513 POA
Outlet sizes: A = 65mm B = 75mm C = 100mm (OUTLETS)		
Nozzle		1027520 POA
Dropend External		1027521 POA
Dropend Internal		1027522 POA
External		1027530 POA
Internal		1027531 POA
		1027535 POA
		1027540 POA

GUTTERS

SQUARE 90° ANGLES

OBTUSE 135° ANGLES

OUTLETS

STOPENDS

UNION CLIPS

FASCIA BRACKETS

Made to order – typically 12–14 weeks. Prices on application: please send sizes, quantities and finish for a quotation.

Linseed oil paint finishes and any RAL or BS colour
Products can be supplied primed, black, finished in linseed oil paint, or colour-matched to a customer sample.
Price on application.



LINSEED OIL PAINT COLOURS

Heritage Paint Finishes for Cast Iron Rainwater Systems

Traditional linseed oil paint applied to cast iron guttering, pipes, and hoppers in factory conditions. Two primer coats of pure linseed red oxide are applied to prepared cast iron, followed by three top coats for outdoor installations. Each coat is allowed to dry for 48–72 hours depending on temperature and light conditions, and applied using natural bristle brushes.

38 historically accurate colours are available across seven colour families. Colours outside this range can be produced to order, including exact matches from an existing sample. A minimum quantity applies for bespoke colour orders.

Application Process

Surface preparation (wire brush or shot blast) → degreasing → two coats linseed red oxide primer (48–72 hours between coats, depending on temperature and light conditions) → three coats linseed oil topcoat (48–72 hours between coats, depending on temperature and light conditions)

COLOUR FAMILIES



Whites & Creams — 7 colours

From pure bright whites to warm biscuity stone tones. Suited to Georgian and Victorian town houses, university buildings, and limestone-district properties.



Greens — 7 colours

Olive to deep bottle green. Among the most historically used colours on Victorian cast iron — widely specified for estate buildings, walled gardens, and National Trust properties.



Yellows & Ochres — 3 colours

Sandy yellows, golden ochres, and warm tans. Particularly sympathetic to sandstone and golden limestone settings, and to industrial heritage and rural estate buildings.



Greys & Stones — 9 colours

Warm and cool stone greys, including Old Lead — formulated to replicate aged lead rainwater goods for Listed Building Consent applications.



Blues — 4 colours

From pale Georgian coastal blues to deep near-navy. Suited to formal country houses, ecclesiastical settings, and buildings with a Scandinavian architectural influence.



Reds & Browns — 5 colours

Iron oxide red to deep earthy browns. Historically accurate for farm buildings, estate ironwork, and industrial heritage. Dark Iron Oxide Red doubles as a visible primer finish.



Blacks — 2 colours

Cast Iron is formulated to replicate freshly finished cast iron — a cool grey-black rather than blue-black. Blackout is a true full black for Georgian facades and formal listed terraces.

Contact

0333 987 4452 • info@tuscanfoundry.co.uk • www.tuscanfoundry.com

WHITES & CREAMS

Swatch	No.	Name	Character & Use
No.1	1	Project White	A pure, bright white with the characteristic warmth of linseed oil. Ideal for Georgian and Victorian cast iron where a crisp white is required without a cold, modern appearance. Highly suited to rendered and stucco-fronted town houses.
No.2	2	Cambridge No 7	A soft off-white with a subtle warm undertone. Widely specified for period townhouses, university buildings, and listed properties where a pure white would appear too stark against historic stone or brick.
No.3	3	Restoration White	A traditional restoration white with a slightly aged, antique quality. Reflects the slightly mellowed whites found on historic cast ironwork that has been well maintained and repainted over many decades.
No.4	4	Warwick's Bench	A warm, creamy white with more depth than a standard off-white. Suits oak-framed buildings, Jacobean properties, and estate buildings where a strong warmth in the paint is appropriate to the setting.
No.5	5	Whiteley	A mid-tone off-white with a distinctive chalky character. Sits between cream and stone, making it extremely versatile for both rendered and stone-faced period properties across a range of architectural periods.
No.10	10	Clotted Cream	A rich, warm cream particularly sympathetic to buildings in honey-coloured limestone areas. Conveys warmth and traditional craftsmanship without appearing overly yellow in direct sunlight.
No.13	13	Fairburn	A soft, biscuity stone colour. More golden than Clotted Cream, it reads as a pale stone rather than a cream and is well suited to late Victorian and Edwardian properties with red brick or terracotta details.

GREYS & STONES

Swatch	No.	Name	Character & Use
No.6	6	Warm Grey	A gentle warm-toned grey with a slight stone quality. Highly suitable for cast iron against Bath stone, Portland stone, or red brick elevations where a cooler grey would create an unwanted contrast.
No.7	7	Pearl Grey	A light, luminous grey with warm undertones. An excellent choice for cast iron rainwater goods where a lighter finish is needed against white or pale rendered facades on Georgian and Regency properties.
No.9	9	Quartz	A clean, mineral grey with a cool quality. Close in tone to the natural appearance of freshly cast iron, making it a highly authentic finish for conservation projects with strict accuracy requirements.
No.11	11	Haddon Estate Grey	A mid-tone grey of rich character. A versatile, authoritative grey that conveys permanence and quality, suitable across Victorian municipal buildings, country houses, and formal architectural settings.
No.12	12	Green Grey	A grey with a distinct green undertone, reminiscent of weathered lead and slate. Conservation officers frequently specify this colour for cast iron where a lead-like appearance is required without the use of actual lead.
No.14	14	Highfield Grey	A deeper, more neutral grey. A solid, confident choice that works well on heavy Victorian cast ironwork, industrial heritage buildings, and ecclesiastical properties where presence and weight are required.
No.25	25	Silver Grey	A cool, clear silver grey with a metallic quality. Reflects the natural tone of aged cast iron and is an ideal conservation-accurate choice for listed buildings in stone-built and urban settings.
No.36	36	Old Lead	Precisely formulated to replicate the appearance of aged lead rainwater goods. Highly specified for Listed Building Consent applications where cast iron is replacing lead and visual authenticity must be maintained for planning approval.
No.15	15	Medway, PA	A warm stone-grey. Sits between a warm grey and a stone tone, making it highly versatile across brick, stone, and render elevations from the Victorian period through to the early twentieth century.

GREENS

Swatch	No.	Name	Character & Use
No.16	16	Olive	A rich, warm olive green. One of the most historically used colours on Victorian cast iron, reflecting the olive green of aged bronze and historical municipal ironwork found across British towns and cities.
No.17	17	Moss	A soft, muted moss green with strong heritage credentials. Frequently specified for cast iron guttering on estate buildings, walled gardens, rural outbuildings, and National Trust properties.
No.18	18	Echo	A mid-toned grey-green with a quiet, recessive character. Works particularly well where the form of ornate castings is to be appreciated without the colour competing with the surrounding architecture.
No.19	19	Leaf Green	A fresh, pure green with good depth. Less grey than Echo or Moss, Leaf Green reads clearly as green and suits Victorian municipal buildings, country houses, and ecclesiastical settings.
No.20	20	Amsterdam Green	A deep, rich bottle green. Historically accurate for 19th-century ironwork. One of the most widely specified heritage greens for cast iron rainwater systems on period buildings across the UK.
No.21	21	Highfield Green	A strong, saturated estate green. Deep and confident, it provides excellent contrast against stone and buff render and suits both Gothic revival buildings and Victorian estate architecture.
No.24	24	Map Green	A slightly teal-inflected dark green. Particularly suited to civic buildings, libraries, courthouses, and institutional architecture of the 1880-1920 period, where a dignified, authoritative green is required.

BLUES

Swatch	No.	Name	Character & Use
No.22	22	Ice Blue	A pale, cool blue with a delicate quality. Used on Georgian-era cast ironwork in coastal settings, Regency properties, and buildings with a Scandinavian or Baltic architectural influence.
No.26	26	Mountain Blue	A clear, strong blue. Referenced in Scandinavian and Northern European heritage painting traditions. Provides a distinctive, authoritative finish for statement cast iron features and architectural ironwork.
No.27	27	Chatsworth Blue	A deep, aristocratic blue used extensively on formal architectural ironwork. Particularly appropriate for country houses, estate buildings, and formal gardens where an historically grounded colour palette is required.
No.28	28	Maastricht Blue	An exceptionally deep, near-navy blue. Provides a powerful, almost black appearance in low light while retaining rich colour in full sun. Suited to formal, ecclesiastical, and high-status architectural settings.

YELLOWS & OCHRES

Swatch	No.	Name	Character & Use
No.29	29	Sand Yellow	A warm, sandy yellow ochre. Used historically across Northern European estate ironwork and timber buildings. Conveys warmth and craftsmanship and suits sandstone or golden limestone settings particularly well.
No.30	30	Golden Yellow	A rich, golden yellow with a strong ochre quality. Bold and historically authentic, this is a declarative colour that demands confidence in its setting. Well suited to industrial heritage and rural estate buildings.
No.23	23	Arran	A complex warm tan, sitting between a stone and a yellow. Highly sympathetic to sandstone, granite, and rubble-stone buildings where a warmer, earthier tone is needed than grey or stone can provide.

REDS & BROWNS

Swatch	No.	Name	Character & Use
No.31	31	Dark Iron Oxide Red	The classic primer red of cast iron conservation. Iron oxide has been used as an anti-corrosion pigment for centuries. Also serves as a distinctive finished coat for industrial heritage buildings, farm buildings, and rural structures.
No.32	32	Barn Red	A warm, rich barn red. Traditional across British estate farm buildings and rural outbuildings. Provides strong contrast against stone and brick and is particularly effective on cast iron soil pipes on agricultural and heritage buildings.
No.33	33	Brodsworth Brown	A deep, earthy brown. A traditional estate colour used on iron gates, railings, and guttering throughout the Victorian and Edwardian periods. Conveys age, solidity, and rootedness in the land.
No.34	34	Italian Umber	A warm, reddish-brown umber. A paint-makers colour of great historical importance used as a pigment for centuries. Conveys age, quality, and restraint and is suited to formal period properties and conservation work.
No.35	35	Manderley	A deep, shadowy dark brown. Exceptional for creating a sense of depth and presence on ornate cast iron hoppers, decorative brackets, and feature downpipes on high-specification conservation projects.

BLACKS

Swatch	No.	Name	Character & Use
No.37	37	Cast Iron	Formulated to replicate the appearance of freshly cast and finished cast iron. A dark, cool grey-black that avoids the blue-black of standard paints. The most conservation-accurate black available in our linseed oil paint range.
No.38	38	Blackout	A true, deep, full black. Maximum contrast and presence. Specified for cast iron on Georgian facades, formal terraces, and listed buildings with monochrome colour schemes where the strongest possible visual definition is required.

This page (together with the documents expressly referred to on it including our Privacy Policy) tells you information about us and the legal terms and conditions (Terms) on which we sell any of the products (Products) listed on our website (our site) to you. These Terms will apply to any contract between us for the sale of Products to you (Contract). Please read these Terms carefully and make sure that you understand them, before ordering any Products from our site or by telephone. Please note that by ordering any of our Products, you agree to be bound by these Terms and the other documents expressly referred to in it. Please click on the button marked "I Accept" at the end of these Terms if you accept them. If you refuse to accept these Terms, you will not be able to order any Products from our site. You should print a copy of these Terms or save them to your computer for future reference. We amend these Terms from time to time as set out in clause 7. Every time you wish to order Products, please check these Terms to ensure you understand the terms which will apply at that time. These Terms updated 01/04/2019 when we changed clauses 2, 6, 8, 10, 12 and 18. These Terms, and any Contract between us, are only in the English language.

1. INFORMATION ABOUT US

1.1 We operate the website www.tuscanfoundry.com. We are Tuscan Foundry Products, and with our office at Tuscan Foundry Products, Unit 1, Tyn-Y-Clyn, Llanafan Fawr, Builth Wells, Powys, LD2 3LU, United Kingdom. Our VAT number is 384788041.

1.2 To contact us, please see our Contact Us page

<http://www.tuscanfoundry.com/contact> or telephone us on 0333 987 4452 for general information

2. OUR PRODUCTS

2.1 The images of the Products on our site are for illustrative purposes only. Although we have made every effort to display the colours accurately, we cannot guarantee that your computer's display of the colours accurately reflect the colour of the Products. Your Products may vary slightly from those images.

2.2 The packaging of the Products may vary from that shown on images on our site.

2.3 All Products shown on our site are subject to availability. We will inform you by e-mail as soon as possible if the Product you have ordered is not available and we will not process your order if made.

2.4 Please ensure that any bespoke orders made by you clearly set out your requirements and accurate measurements. We cannot accept the return of any bespoke products if the reason for return is because you provided us with incorrect measurements or specifications. However, this will not affect your legal rights as a consumer in relation to bespoke Products that are faulty or not as described. Advice about your legal rights is available at your local Citizen's Advice Bureau or Trading Standards office.

2.5 Any bespoke Products ordered by you are outside our normal specification of Products and as such we may incur additional design, materials and manufacturing fees or costs. If you choose to cancel your order at any time and we have already started work on your order we will either invoice you, or where a deposit has been paid make a deduction from the deposit, in respect of any fees and costs reasonably incurred by us at that time.

2.6 Any bespoke pattern created by us, unless specifically requested by the customer at the time of order, remains the property of Tuscan Foundry Products.

2.7 For cast iron products specifically; casting is an imperfect process and the surface finish will never be completely smooth and free of blemishes. The beauty and aesthetic appeal of cast iron is in its imperfections. It is also possible that some castings may have small pinholes that will require on-site filling before installation. Please consider that this is a heritage product. Your product will though be manufactured to a high standard.

2.8 Paints & Finishes

Primer Finishes

Primer-finished gutters and pipes are supplied with one coat of protective grey primer. This primer will protect against corrosion during transportation and short-term undercover storage, providing a suitable surface for primer coating and final painting. On-site handling and painting are the responsibility of the contractor, and particular environmental considerations should be taken into account when choosing the paint system for the final finishing. We recommend that an additional priming coat be applied on-site, followed by 1 undercoat and 2 gloss coats of an alkyd paint system. All individual elements should receive the first of the gloss coats before fixing, and finished with the final gloss coat after the installation is complete.

Factory Paint Finishes

The black-painted products have an exterior coating, high solids, and a black gloss paint finish. High solids and a gloss finish ensure greater durability over lower solids and matt/satin finishes. The paint application is carried out in a controlled environment located on-site. All black-painted products arrive individually bagged for maximum protection and are ready for immediate installation. We also offer and recommend purchasing touch-up paint with all painted orders; this can be applied to installation scuffs, scratches or cut ends. This paint specification finish meets a C3 corrosion category environment.

Bespoke Paint Finishes

We can offer bespoke paint finishes using various types of paints, including bitumenised and linseed oil. However, it is the customer's responsibility to ensure the paint finish is suitable for the geographical and environmental location of the products they are using.

Coastal Paint Finishes

Coastal paint specification can be offered on all rainwater products and the Heritage Express (TX) soil system. Black painted or RAL and BS colours are also available to this specification.

Coastal and Marine environments are difficult to define; however, for guidance, they are estimated to be areas within 5km (approximately 3 miles) of the coast. Areas falling within a coastal or marine environment are classified as a C4 corrosion category.

The durability of paint systems is not an exact science; neither is the predictability of atmospheric conditions to which a product will be exposed. For this reason, we cannot be specific regarding the number of years the paint will last. To combat this aggressive environment, the overall coating thickness on the Coastal products is much greater. This increased coating thickness forms a longer-lasting barrier between the environment and the substrate thus delaying the onset of corrosion.

Galvanised Products

For galvanised components such as gutter and pipe brackets, the underlying steel will typically remain structurally sound for many years. However, it is important to note that paint adhesion to galvanised finishes can be problematic, with coatings often prone to flaking or peeling over time.

Where a decorative or protective finish is required, we generally recommend powder coating as this provides a more durable and long-lasting bond to the galvanised surface. If a suitable colour match can be achieved, powder coating offers the most reliable solution for maintaining both the appearance and the protection of galvanised brackets and fittings.

Aftercare

Regular aftercare of cast iron guttering and downpipes is essential to maximise service life and protect against corrosion. The paint finish provides the primary barrier against rust and must be kept in sound condition.

Inspection Frequency: Paint finishes should be inspected annually, and every six months in coastal or marine locations.

Immediate Action: Any signs of flaking paint or surface rust must be cleaned and addressed without delay to prevent further deterioration.

Expected Lifespan: Under typical conditions, paint finishes may last 5-7 years before recoating is required. However, this is dependent on factors such as location, exposure, and quality of application.

Additional Measures: In harsher environments (e.g., high humidity, salt-laden air), more frequent maintenance and recoating may be necessary. Use high-quality, weather-resistant, or marine-grade paints and consider supplementary anti-corrosion treatments for improved longevity.

3. HOW WE USE YOUR PERSONAL INFORMATION

We only use your personal information in accordance our Privacy Policy. For details, please see our Privacy Policy <http://www.tuscanfoundry.com/privacy-policy/>. Please take the time to read these, as they include important terms which apply to you.

4. IF YOU ARE A CONSUMER

This clause 4 only applies if you are a consumer.

4.1 If you are a consumer, you may only purchase Products from our site if you are at least 18 years old.

4.2 We intend to rely upon these Terms and any document expressly referred to in them in relation to the Contract between you and us. While we accept responsibility for statements and representations made by our duly authorised agents, please make sure you ask for any variations from these Terms to be confirmed in writing.

4.3 As a consumer, you have legal rights in relation to Products that are faulty or not as described. Advice about your legal rights is available from your local Citizens' Advice Bureau or Trading Standards office. Nothing in these Terms will affect these legal rights.

5. IF YOU ARE A BUSINESS CUSTOMER

This clause 5 only applies if you are a business.

5.1 If you are not a consumer, you confirm that you have authority to bind any business on whose behalf you use our site to purchase Products.

5.2 These Terms and any document expressly referred to in them constitutes the entire agreement between you and us. You acknowledge that you have not relied on any statement, promise or representation made or given by or on behalf of which is not set out in these Terms or any document expressly referred to in them.

6. HOW THE CONTRACT IS FORMED BETWEEN YOU AND US

6.1 With the exception of bespoke Products which will need to be discussed by telephone or email, the steps you need to take to place an order on our site are clearly set out on our website. You may click on an item to order which places the item into your basket and you may then checkout and make payment.

6.2 Our order process allows you to check and amend any errors before submitting your order to us. Please take the time to read and check your order at each stage of the order process.

6.3 After you place an order, whether it be by email, online, or by telephone, we will send an invoice confirming that your order has been placed (Order Confirmation). The Contract between us will be in place from the time as stated on this email.

6.4 Changes to your order made after completion of the stages as set out in clause 6.3 may incur additional costs, for example should you wish to change your order and return items to us. We will confirm any costs to you prior to amending your order.

6.5 If we are unable to supply you with a Product, for example because that Product is not in stock or no longer available or because of an error in the price on our site as referred to in clause 12.6, we will inform you of this by e-mail or telephone and we will not process your order. If you have already paid for the Products, we will refund you the full amount as soon as possible.

6.6 Telephone orders may be placed during our telephone conversation and the Contract will come into existence once: (a) you have confirmed during that telephone conversation that you wish to proceed with the order; and (b) you have paid any deposit as required by us; and (c) you receive an Order Confirmation email from us confirming that your order has been placed.

6.7 We also provide email quotations for products, including bespoke Products, following telephone or email enquiries. A copy of these terms and conditions will be attached to every quotation and by proceeding to place an order with us and paying any deposit required by us, you confirm that you wish to proceed in accordance with these Terms.

7. OUR RIGHT TO VARY THESE TERMS

7.1 We may revise these Terms from time to time in the following circumstances: (a) changes in how we accept payment from you; (b) changes in relevant laws and regulatory requirements; and (c) changes to the delivery process.

7.2 Every time you order Products from us, the Terms in force at that time will apply to the Contract between you and us.

7.3 Whenever we revise these Terms in accordance with this clause 7, we will keep you informed and give you notice of this by stating that these Terms have been amended and the relevant date at the top of this page.

8. YOUR CANCELLATION AND REFUND RIGHTS IF YOU ARE A CONSUMER

This clause 8 only applies if you are a consumer.

8.1 If you are a consumer, you have a legal right to cancel a Contract under the Consumer Contracts (Information, Cancellation and Additional Charges) Regulations 2013 during the period set out below in clause 8.3. This means that during the relevant period if you change your mind or decide for any other reason that you do not want to receive or keep a Product, you can notify us of your decision to cancel the Contract and receive a refund. Advice about your legal right to cancel the Contract is available from your local Citizens' Advice Bureau or Trading Standards office.

8.2 However, this cancellation right does not apply in the case of any bespoke, made-to-measure or custom-made products. Unfortunately, as bespoke products are made to your requirements, you will not be able to cancel your order once made (but this will not affect your legal rights as a consumer in relation to bespoke/made to measure Products that are faulty or not as described).

8.3 Your legal right to cancel a Contract starts from the date of the Order Confirmation (the date on which we e-mail you to confirm our acceptance of your order), which is when the Contract between us is formed. Your deadline for cancelling the Contract then depends on what you have ordered and how it is delivered, as set out below:

- Your Contract is for a single Product (which is not delivered in instalments on separate days): the end date is the end of 14 days after the day on which you receive the Product. Example: if we provide you with an Order Confirmation on 1 January and you receive the first instalment of your Product or the first of your separate Products on 10 January and the last instalment or last separate Product on 15 January you may cancel in respect of all instalments and any or all of the separate Products at any time between 1 January and the end of the day on 29 January.
- Your Contract is for either of the following: one Product which is delivered in instalments on separate days; multiple Products which are delivered on separate days: the end date is 14 days after the day on which you receive the last instalment of the Product or the last of the separate Products ordered. Example: if we provide you with an Order Confirmation on 1 January and you receive the first instalment of your Product or the first of your separate Products on 10 January and the last instalment or last separate Product on 15 January you may cancel in respect of all instalments and any or all of the separate Products at any time between 1 January and the end of the day on 29 January.
- Your Contract is for the regular delivery of a Product over a set period: the end date is 14 days after the day on which you receive the first delivery of the Products. Example: if we provide you with an Order Confirmation on 1 January in respect of Products to be delivered at regular intervals over a year and you receive the first delivery of your Product on 10 January, you may cancel at any time between 1 January and the end of the day on 24 January. 24 January is the last day of the cancellation period in respect of all Products to arrive during the year.

8.4 To cancel a Contract, you must contact us in writing by sending an e-mail to info@tuscanfoundry.co.uk or by sending a letter to Tuscan Foundry Products, Unit 1, Tyn-Y-Clyn, Llanafan Fawr, Builth Wells, Powys, LD2 3LU, United Kingdom. You may wish to keep a copy of your cancellation notification for your own records.

8.5 If you cancel your Contract we will: (a) refund you the price you paid for the Products. However, please note we are permitted by law to reduce your refund to reflect any reduction in the value of the goods, if this has been caused by your handling them in a way which would not be permitted in a shop. (b) refund any delivery costs you have paid, although, as permitted by law, the maximum refund will be the costs of delivery by the least expensive delivery method we offer (provided that this is a common and generally acceptable method). For example, if we offer delivery of a Product within 3-5 days at one cost but you choose to have the Product delivered within 24 hours at a higher cost, then we will only refund what you would have paid for the cheaper delivery option. (c) make any refunds due to you as soon as possible and in any event within the deadlines indicated below: (i) if you have received the Product and we have not offered to collect it from you: 14 days after the day on which we receive the Product back from you or, if earlier, the day on which you provide us with evidence that you have sent the Product back to us. For information about how to return a Product to us, see clause 8.8; (ii) if you have not received the Product or you have received it and we have offered to collect it from you: 14 days after you inform us of your decision to cancel the Contract.

8.6 If you have returned the Products to us under this clause 8 because they are faulty or mis-described, we will refund the price of a defective Product in full, any applicable delivery charges, and any reasonable costs you incur in returning the item to us.

8.7 We will refund you on the credit card or debit card used by you to pay. If you used vouchers to pay for the Product we may refund you in vouchers.

8.8 If a Product has been delivered to you before you decide to cancel your Contract: (a) then you must return it to us without undue delay and in any event not later than 14 days after the day on which you let us know that you wish to cancel the Contract. You can either send it back, return it to us in-store or hand it to our authorised carrier. Please see our Website for our returns address; (b) unless the Product is faulty or not as described, you will be responsible for the cost of returning the Products to us. If the Product is one which cannot be returned by post, we estimate that if you use the carrier which delivered the Product to you, these costs should not exceed the sums we charged you for delivery; Because you are a consumer, we are under a legal duty to supply Products that are in conformity with this Contract. As a consumer, you have legal rights in relation to Products that are faulty or not as described. These legal rights are not affected by your right of return and refund in this clause 8 or anything else in these Terms. (c) In the event that we accept your request to return a product, we reserve the right to charge 40% of the invoice total by way of a restocking charge.

9. YOUR CANCELLATION AND REFUND RIGHTS IF YOU ARE A BUSINESS

This clause 9 only applies if you are a business.

9.1 If you are a business and change your mind or for any other reason you decide you do not want to keep a Product, you can notify us of your request to return the item. Returns will be accepted at our discretion, and must be returned in good condition within one month of their purchase.

9.2 In the event that we accept your request to return a Product, we reserve the right to charge 40% of the invoice total by way of a restocking charge.

9.3 Cancellation rights under this clause 9 do not apply to factory-painted-finished items, non-standard, made-to-measure, or custom-made products.

9.4 To request to cancel a Contract, you must contact us in writing by sending an e-mail to info@tuscanfoundry.co.uk or by sending a letter to Tuscan Foundry Products, Unit 1, Tyn-Y-Clyn, Llanafan Fawr, Builth Wells, Powys, LD2 3LU, United Kingdom.

9.5 Should we agree to the return of the Product and to issue a refund, you will receive a refund of the sum agreed as soon as possible and, in any case, within 30 calendar days of the day on which you gave us notice of cancellation as described in clause 9.4. If you returned the Products to us because they were faulty or mis-described, please see clause 9.6.

9.6 If you have returned the Products to us under this clause 9 because they are faulty or mis-described, we will refund the price of a defective Product in full, any applicable delivery charges, and any reasonable costs you incur in returning the item to us.

9.7 If we agree to the return of the Product(s): (a) you must return the Products to us as soon as reasonably practicable; (b) unless the Products are faulty or not as described, you will be responsible for the cost of returning the Products to us; (c) you have a legal obligation to keep the Products in your possession and to take reasonable care of the Products while they are in your possession.

10. DELIVERY

10.1 We will contact you with an estimated delivery date, which with the exception of bespoke Products will be within 30 days after the date of the Order Confirmation (the date on which we e-mail you to confirm our acceptance of your order). Occasionally our delivery to you may be affected by an Event Outside Our Control. See clause 18 for our responsibilities when this happens

10.2 Delivery of an Order shall be completed when we deliver the Products to the address you gave us or you or a carrier organised by you collect them from us and the Products will be your responsibility from that time.

10.3 If a delivery has been confirmed with you and dispatched by ourselves, but no one is available at your address to take delivery, or you wish to delay delivery, for whatsoever reason, we will either ask the haulier to redeliver on another day, or where suitable, upon agreement with yourselves to place the order into storage, until required for re-delivery. This is a chargeable service, and we will confirm charges with you. Please note that all goods are held on your behalf, responsibility and cost, this will be the point of delivery and supersedes point (10.5)

10.4 It is your responsibility to inspect goods upon delivery. Any breakages or shortages must be noted on the delivery paperwork and brought to our attention within 24 hours of receiving your delivery. We cannot refund or replace items that have been signed for as received in good condition.

10.5 The Products will be your responsibility from the completion of delivery.

10.6 You own the Products once we have received payment in full, including all applicable delivery charges. This clause 10.7 only applies if you are a consumer.

10.7 With the exception of bespoke Products, if we miss the 30 day delivery deadline for Products you have ordered then you may cancel your Order straight away if any of the following apply: (a) we have refused to deliver the Products; (b) delivery within the delivery deadline was essential (taking into account all the relevant circumstances); or (c) you told us before we accepted your order that delivery within the delivery deadline was essential.

10.8 If you do not wish to cancel your order straight away, or do not have the right to do so under clause 10.7, you can give us a new deadline for delivery, which must be reasonable, and you can cancel your Order if we do not meet the new deadline.

10.9 Please note that bespoke Products require additional work and so will not be delivered within the 30 day deadline, times for bespoke castings are normally in the region of 12 weeks from paid order. We will contact you with an estimated delivery date for any bespoke Products as soon as reasonably possible. Due to the nature of bespoke cast products delivery times are always only an estimate, as because of the nature of the process, casting will often require further work, alteration and adaptation, before they are ready for delivery.

10.10 If you do choose to cancel your Order for late delivery under clause 10.7 or clause 10.8, you can do so for just some of the Products or all of them, unless splitting them up would significantly reduce their value. If the Products have been delivered to you, you will have to return them to us or allow us to collect them, and we will pay the costs of this. After you cancel your Order we will refund any sums you have paid to us for the cancelled Products and their delivery.

11. INTERNATIONAL DELIVERY

11.1 We deliver to the countries listed on this page <https://www.tuscanfoundry.com/delivery/> (International Delivery Destinations). Please review the information on that page carefully before ordering Products.

11.2 If you order Products from our site for delivery to one of the International Delivery Destinations, your order may be subject to import duties and taxes which are applied when the delivery reaches that destination. Please note that we have no control over these charges and we cannot predict their amount.

11.3 You will be responsible for payment of any such import duties and taxes. Please contact your local customs office for further information before placing your order.

11.4 You must comply with all applicable laws and regulations of the country for which the Products are destined. We will not be liable or responsible if you break any such law.

11.5 In addition to the points contained within 10 (above) – all customers receiving international deliveries are responsible for checking the order at the point of entry, to ensure that all goods are as per the delivery information, before – and if onward shipping to the final location/site – if requested.

12. PRICE OF PRODUCTS AND DELIVERY CHARGES

12.1 With the exception of bespoke Products, the prices of the Products will be as quoted on our site from time to time. We take all reasonable care to ensure that the prices of Products are correct at the time when the relevant information was entered onto the system. However if we discover an error in the price of Product(s) you ordered, please see clause 12.6 for what happens in this event.

12.2 Prices for our Products may change from time to time, but changes will not affect any order which we have confirmed with an Order Confirmation.

12.3 The price of a Product includes VAT (where applicable) at the applicable current rate chargeable in the UK for the time being. However, if the rate of VAT changes between the date of your order and the date of delivery, we will adjust the VAT you pay, unless you have already paid for the Products in full before the change in VAT takes effect.

12.4 In some instances we may need to charge a deposit of up to 50% of the total cost of the Products to cover reasonable costs in respect time and fees incurred to draw up technical specifications. Where we need to do this we will inform you prior to Order Confirmation.

12.5 The price of a Product does not include delivery charges. Our delivery charges are as quoted on our site from time to time. To check relevant delivery charges, please refer to our Delivery Charges page <https://www.tuscanfoundry.com/about-us>

12.6 Our site contains a large number of Products. It is always possible that, despite our reasonable efforts, some of the Products on our site may be incorrectly priced. We will normally check prices as part of our dispatch procedures so that: (a) where the Product's correct price is less than the price stated on our site, we will charge the lower amount when dispatching the Products to you. However, if the pricing error is obvious and unmistakeable and could have reasonably been recognised by you as a mispricing, we do not have to provide the Products to you at the incorrect (lower) price; and (b) if the Product's correct price is higher than the price stated on our site, we will contact you as soon as possible to inform you of this error and we will give you the option of continuing to purchase the Product at the correct price or cancelling your order. We will not process your order until we have your instructions. If we are unable to contact you using the contact details you provided during the order process, we will treat the order as cancelled and notify you in writing.

13. HOW TO PAY

13.1 You can only pay for Products using a debit card or credit card. We accept all major debit and credit cards but should you wish to use American Express, a 5% surcharge will be applied to your order.

13.2 Deposit payments, payment for the Products and payments for all applicable delivery charges are made in advance. Your card will be charged at the point the order is placed.

14. MANUFACTURER GUARANTEES

14.1 Some of the Products we sell to you come with a manufacturer's guarantee. For details of the applicable terms and conditions, please refer to the manufacturer's guarantee provided with the Products.

14.2 If you are a consumer, a manufacturer's guarantee is in addition to your legal rights in relation to Products that are faulty or not as described. Advice about your legal rights is available from your

15. OUR WARRANTY FOR THE PRODUCTS

15.1 For Products which do not have a manufacturer's guarantee, we provide a warranty on delivery and for a period of 12 months from delivery, the products shall be free from material defects. However, this warranty does not apply in the circumstances described in clause 15.3.

15.2 The warranty in clause 15.1 does not apply to any defect in the products arising from: (a) fair wear and tear; (b) wilful damage, abnormal storage or working conditions, accident, negligence by you or by any third party; (c) if you fail to operate or use the Products in accordance with the user instructions; (d) any alteration or repair by you or by a third party who is not one of our authorised repairers; or (e) any specification provided by you.

15.4 If you are a consumer, this warranty is in addition to your legal rights in relation to Products that are faulty or not as described. Advice about your legal rights is available from your local Citizens' Advice Bureau or Trading Standards office.

16. OUR LIABILITY IF YOU ARE A BUSINESS

This clause 16 only applies if you are a business customer.

16.1 We only supply the Products for use by your business, and you agree not to use the Product for any re-sale purposes.

16.2 Nothing in these Terms limit or exclude our liability for: (a) death or personal injury caused by our negligence; (b) fraud or fraudulent misrepresentation; (c) breach of the terms implied by section 12 of the Sale of Goods Act 1979 (title and quiet possession); or (d) defective products under the Consumer Protection Act 1987.

16.3 Subject to clause 16.2, we will under no circumstances whatever be liable to you, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, arising under or in connection with the Contract for: (a) any loss of profits, sales, business, or revenue; (b) loss or corruption of data, information or software; (c) loss of business opportunity; (d) loss of anticipated savings; (e) loss of goodwill; or (f) any indirect or consequential loss.

16.4 Subject to clause 16.2 and clause 16.3, our total liability to you in respect of all other losses arising under or in connection with the Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed 100% of the price of the Products ordered.

16.5 Except as expressly stated in these Terms, we do not give any representation, warranties or undertakings in relation to the Products. Any representation, condition or warranty which might be implied or incorporated into these Terms by statute, common law or otherwise is excluded to the fullest extent permitted by law. In particular, we will not be responsible for ensuring that the Products are suitable for your purposes.

17. OUR LIABILITY IF YOU ARE A CONSUMER

This clause 17 only applies if you are a consumer.

17.1 If we fail to comply with these Terms, we are responsible for loss or damage you suffer that is a foreseeable result of our breach of these Terms or our negligence, but we are not responsible for any loss or damage that is not foreseeable. Loss or damage is foreseeable if they were an obvious consequence of our breach or if they were contemplated by you and us at the time we entered into the Contract.

17.2 We only supply the Products for domestic and private use. You agree not to use the product for any commercial, business or re-sale purposes, and we have no liability to you for any loss of profit, loss of business, business interruption, or loss of business opportunity.

17.3 We do not in any way exclude or limit our liability for: (a) death or personal injury caused by our negligence; (b) fraud or fraudulent misrepresentation; (c) any breach of the terms implied by section 12 of the Sale of Goods Act 1979 (title and quiet possession); (d) any breach of the terms implied by section 13 to 15 of the Sale of Goods Act 1979 (description, satisfactory quality, fitness for purpose and samples); and (e) defective products under the Consumer Protection Act 1987.

18. QUOTATIONS: SURVEYS AND DRAWING TAKE-OFFS

Quotation Validity and Accuracy

18.1 All quotations provided by Tuscan Foundry Products are based on information gathered from site surveys or drawing take-offs and are given in good faith with the data available at the time. The installer and/or purchaser must verify all items and quantities listed in the quotation before placing an order. Tuscan Foundry Products will accept no liability or responsibility for any items that are not required or are found to be unsuitable once delivered.

Disclaimer of Liability

18.2 Tuscan Foundry Products disclaims any and all liability for any discrepancies, errors, or omissions in the quotations provided. The installer and/or purchaser must ensure the accuracy and suitability of all items specified in the quotation to meet their specific requirements and conditions on-site. Tuscan Foundry Products shall not be held responsible for any costs, losses, or damages arising from items that are not required or are unsuitable for their intended use.

Purchaser and Installer Responsibility

18.3 The installer and/or purchaser are fully responsible for: (a) Verifying all measurements, quantities, and specifications listed in the quotation. (b) Ensuring that all items quoted are suitable for their intended application and installation conditions. (c) Checking the accuracy and completeness of all information provided before placing an order.

By accepting the quotation and proceeding with an order, the installer and/or purchaser acknowledge and agree to these terms and conditions. Any orders placed based on the quotations provided will be considered as an acceptance of this disclaimer of liability and the responsibilities outlined above.

19. EVENTS OUTSIDE OUR CONTROL

19.1 We will not be liable or responsible for any failure to perform, or delay in performance of, any of our obligations under a Contract that is caused by an Event Outside Our Control. An Event Outside Our Control is defined below in clause 18.2.

19.2 An Event Outside Our Control means any act or event beyond our reasonable control, including without limitation strikes, lock-outs or other industrial action by third parties, civil commotion, riot, invasion, terrorist attack or threat of terrorist attack, war (whether declared or not) or threat or preparation for war, fire, explosion, storm, flood, earthquake, subsidence, epidemic or other natural disaster, or failure of public or private electricity or other power supply, or failure of public or private telecommunications networks or impossibility of the use of railways, shipping, aircraft, motor transport or other means of public or private transport or delay or cessation of a supply of key materials.

19.3 If an Event Outside Our Control takes place that affects the performance of our obligations under a Contract: (a) we will contact you as soon as reasonably possible to notify you; and (b) our obligations under a Contract will be suspended and the time for performance of our obligations will be extended for the duration of the Event Outside Our Control. Where the Event Outside Our Control affects our delivery of Products to you, we will arrange a new delivery date with you after the Event Outside Our Control is over.

20. COMMUNICATIONS BETWEEN US

20.1 When we refer, in these Terms, to "in writing", this will include e-mail.

20.2 If you wish to contact us in writing, or if any clause in these Terms requires you to give us notice in writing, you can send this to us by e-mail or by pre-paid post to Tuscan Foundry Products, Unit 1, Tyn-Y-Clyn, Llanafan Fawr, Builth Wells, Powys, United Kingdom or info@tuscanfoundry.co.uk. We will confirm receipt of this by contacting you in writing, normally by e-mail. If you are a consumer and exercising your right to cancel under clause 8, please refer to clause 8 for how to tell us this.

20.3 If we have to contact you or give you notice in writing, we will do so by e-mail or by pre-paid post to the address you provide to us in your order.

20.4 If you are a business, please note that any notice given by you to us, or by us to you, will be deemed received and properly served immediately when posted on our website, 24 hours after an e-mail is sent, or three days after the date of posting of any letter. In proving the service of any notice, it will be sufficient to prove, in the case of a letter, that such letter was properly addressed, stamped and placed in the post and, in the case of an e-mail, that such e-mail was sent to the specified e-mail address of the addressee.

21. OTHER IMPORTANT TERMS

21.1 We may transfer our rights and obligations under a Contract to another organisation, but this will not affect your rights or our obligations under these Terms. We will always notify you in writing or by posting on this webpage if this happens.

21.2 You may only transfer your rights or your obligations under these Terms to another person if we agree in writing.

21.3 This contract is between you and us. No other person shall have any rights to enforce any of its terms, whether under the Contracts (Rights of Third Parties Act) 1999 or otherwise.

21.4 Each of the paragraphs of these Terms operates separately. If any court or relevant authority decides that any of them are unlawful or unenforceable, the remaining paragraphs will remain in full force and effect.

21.5 If we fail to insist that you perform any of your obligations under these Terms, or if we do not enforce our rights against you, or if we delay in doing so, that will not mean that we have waived our rights against you and will not mean that you do not have to comply with those obligations. If we do waive a default by you, we will only do so in writing, and that will not mean that we will automatically waive any later default by you.

21.6 If you are a consumer, please note that these Terms are governed by English law. This means a Contract for the purchase of Products through our site and any dispute or claim arising out of or in connection with it will be governed by English law. You and we both agree to that the courts of England and Wales will have non-exclusive jurisdiction.

21.7 If you are a business, these Terms are governed by English law. This means that a Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), will be governed by English law. We both agree to the exclusive jurisdiction of the courts of England and Wales.

Full terms: www.tuscanfoundry.com/terms-and-conditions